



Lighting

Inspection Lights

184

Floodlights

186

Head Torches

187



Inspection Lights

With a host of features and manufactured from impact resistant materials to survive whatever the jobsite throws at you.

1. Easy fixation with integrated magnets.
2. Compact Inspection light with dual function LED.
3. CKlearView LED for accurate colour rendering.



Inspection Lights



C.K MINI LED Inspection Light

Compact Inspection light with dual function LED. Lightweight pocket friendly design with clip. Tactile on/off mode switch. CKlearView LED for accurate colour rendering. 120lm main light. 80lm torch light. 3.7V 750mAh Li-ion battery for up to 4.5 hours runtime. USB-C rechargeable in 1.5 hours (cable included).

Item No.	i	📦
T9426USB	150lm	5



C.K MIDI LED Inspection Light

High powered Inspection light with dual function LED. IK07 moulded design for exceptional durability. Tactile on/off mode switch. CKlearView LED for accurate colour rendering. 400lm main light with eco mode (250lm). 100lm torch light. Flexible 180° folding design with magnetic base. Retractable 360° rotating hook. IP54 rated against dust and water ingress. 3.7V 2600mAh Li-ion battery for up to 5.0 hours runtime. Battery level indicator. USB-C rechargeable in 3.5 hours (cable included).

Item No.	i	📦
T9427USB	400lm	8



C.K MAXI LED Inspection Light

High Powered Inspection light with dual function LED. IK07 moulded design for exceptional durability. Tactile on/off mode switch. CKlearView LED for accurate colour rendering. 700lm dimmable main light with eco mode (175lm). 150lm torch light. Flexible 180° folding design with magnetic base. Retractable 360° rotating hook. IP65 rated against dust and water ingress. 3.7V 2600mAh Li-ion battery for up to 8.0 hours runtime. Battery level indicator. USB-C rechargeable in 3.5 hours (cable included).

Item No.	i	📦
T9428USB	700lm	5



Neck Light - 300lm

Versatile LED neck light with adjustable brightness. Ergonomic design for comfortable all day use. Individual light control via independent on/off switches. CKlearView LED for accurate colour rendering. Max. 300lm with dimmer function. Flexible antenna for optimum light orientation. Magnetised and threaded base gives a choice of mounting options. USB-C rechargeable with battery charge indicator (cable included).

Item No.		
T9429USB	300lm	5



Compact Inspection Light - USB

T4924USB: 240 lumen COB-LED. Battery life: standard/red up to 2.5hrs, torch up to 4hrs, tip up to 14 hrs. Charge time: 4hrs. Supplied with type C USB charger cable (UK mains plug not included).

T9425USB: 400 lumen COB-LED. Battery life: standard/red up to 3hrs, torch up to 5hrs, tip up to 17hrs. Charge time: 4hrs. Supplied with type C USB charger cable (UK mains plug not included).

CE UKCA

Item No.		
T9424USB	130H x 27W x 41D (mm)	12
T9425USB	158H x 31W x 66D (mm)	12

Mini Inspection Light - USB

High performance 240 lumen COB-LED. 2 Lighting modes: high, dimmed. Battery indicator light. Battery life: up to 2.5 hrs. Charge time: 2.5 hrs. Integrated rechargeable 3.7V 600mAh Li-Ion battery. Integrated pocket clip and magnetic base. Supplied with type C USB charger cable (UK mains plug not included).

CE UKCA

Item No.		
T9423USB	89H x 21W x 12D (mm)	12
T9423USBCBOX		1



Site Lights

- 1. High powered site light with adjustable LED.
- 2. Heavy duty IK08 rated design for increased impact resistance
- 3. Tactile on/off switch with +/- brightness function.
- 4. CKlearView LED for accurate colour rendering.



Site Lights



COB Power Tool Battery Site Lights

High powered site light with adjustable LED. Heavy duty IK08 rated design for increased impact resistance. Tactile on/off switch with +/- brightness function. CKlearView LED for accurate colour rendering. 4 x selectable power output (5000, 3750, 2500 and 1250lm). Integrated pivot stand to adjust working angle. IP65 rated against dust and water ingress. Threaded base for tripod mounting. Battery level indicator. Compatible with standard 18V power tool batteries using the included adaptors (eg. Bosch, Dewalt, Makita, Metabo and Milwaukee).

Item No.	i	📦
T9740	5000lm	2
T9741	10000lm	2



10W Rechargeable Site Light

High Power COB LED. 700 Lumens /colour temp 6500 Kelvin. 2 Lighting modes: High, Dimmed. Battery life: High: 2.5hrs, Dimmed: 4hrs. 3 hours approximate charge time. 360° adjustable head directs the light where you need it. Impact resistant, tested to IK05. Water & dirt resistant, tested to IP65. Including rechargeable 3.7V 2200mAh Li-Ion battery. EMC, RoHS, WEEE

Item No.	📦
T9735USB	1



Head Torches



Wide Field Headlight

The C.K T9630 USB head light is ideal for the end user working in dark & confined spaces where quality of light is important. COB LED Technology. 400 Lumens, 5,700K and CRI 80. 4 mode operation: Spot Light / Wide Field / Full Beam / Dipped Beam. Rear Flashing Red Light. Up to 6 Hours Runtime. Charge Time: 3 hours. IP-54 Rated. IK-07 Impact Rated. Charging Indicator Light.

EMC, RoHS, WEEE, IP54

Item No.	
T9630USB	50



Head Torch with Rear Red Light

High Power 150 Lumen Cree XP-G LED. 3 Lighting modes: high, dimmed, red. Rear red LED safety light. Adjustable head lamp swivels though 80°. Water & dirt resistant, tested to IPX0. Detachable over-head elasticated strap. Battery life: high - 6hrs, dimmed - 12hrs. Battery 3 x AAA (Not supplied).

EMC, RoHS, WEEE, IP54

Item No.	i	
T9612	150Lm	3



Head Torch with Motion Sensor

T9613: High Power Cree LED. 220 Lumens. 7 Lighting modes: High, Dimmed, Red, COB, COB & Main, COB & Low Light, COB & Red Beam. Battery life: High: 4hrs, Low: 9hrs, Red beam: 5hrs, COB: 9hrs, Main & COB: 135 minutes. Sensor mode switching ability. Adjustable head lamp swivels through 80°. Impact resistant, tested to IK05. Water & dirt resistant, tested to IPX4. Maximum range: 90m. Battery 3 x AAA (Not supplied). T9613USB: High Power Cree LED. 270 Lumens. 7 Lighting modes: High, Dimmed, Red, COB, COB & Main, COB & Low Light, COB & Red Beam. Battery life: High: 4hrs, Low: 9hrs, Red beam: 6hrs, COB: 9hrs, Main & COB: 135 minutes. Sensor mode switching ability. Adjustable head lamp swivels through 80°. Impact resistant, tested to IK05. Water & dirt resistant, tested to IPX4. Maximum range: 90m. Including high performance 3.7V 1800mAh Lithium-Ion rechargeable battery, USB cable.

EMC, RoHS, WEEE, IPX4

Item No.	
T9613	1
T9613USB	1



Beanie Hat - USB Rechargeable

Stylish Beanie hat with integrated USB rechargeable 80 Lumen head torch.

EMC, RoHS, WEEE

Item No.	
T9608BHR	10



LED Head Torch USB - Twin Pack

SMD LED Technology. 80 Lumens. Light modes: High / Medium / Low. Runtime: High: 2 hours, Medium: 3 hours, Low: 4 hours. Charge Time: 3.5 hours. Impact resistance: 1m. Maximum Range Distance: 10m. Battery: 3.7V 300mAh Li-ion.

EMC, RoHS, WEEE

Item No.	
T9608R2	1