

dextro™

Premium quality screwdrivers

1. Tip type marking for easy identification.
2. Ergonomically shaped, dual component handle for increased comfort, control and safety.
3. Long fine neck for precise fingertip control.
4. Ridges along the head give extra grip in that last 1/4 turn.
5. Handle injection moulded directly to blade giving the ultimate bond for increased reliability and durability.
6. Premium quality chrome vanadium steel blade for exceptional strength and durability.
7. Precision machined tip for an exact screw fit and damage free screwdriving.



Dextro



Dextro Screwdrivers - Slotted Parallel

ISO 2380-2

Item No.					
T49125-025	2.5mm (3/32")	75mm (3")	0.4mm (0.061")	95mm (3 3/4")	6
T49125-030	3.0mm (1/8")	75mm (3")	0.5mm (0.020")	95mm (3 3/4")	6
T49125-03025	3.0mm (1/8")	250mm (10")	0.5mm (0.020")	95mm (3 3/4")	6
T49125-035	3.5mm (9/64")	100mm (4")	0.6mm (0.024")	95mm (3 3/4")	6
T49125-040	4.0mm (5/32")	125mm (5")	0.8mm (0.031")	107mm (4 7/32")	6
T49125-055	5.5mm (7/32")	150mm (6")	1.0mm (0.039")	120mm (4 3/4")	6



Dextro Screwdrivers - Pozidriv

ISO 8764

Item No.					
T49113-0	PZ0	3.5mm (9/64")	60mm (23/8")	95mm (3 3/4")	6
T49113-1	PZ1	5.0mm (3/16")	75mm (3")	107mm (4 7/32")	6
T49113-1250	PZ1	5.0mm (3/16")	250mm (10")	107mm (4 7/32")	6
T49113-2	PZ2	6.0mm (15/64")	150mm (6")	120mm (4 3/4")	6
T49113-2250	PZ2	6.0mm (15/64")	250mm (10")	120mm (4 3/4")	6
T49113-3	PZ3	8.0mm (5/16")	150mm (6")	135mm (5 1/16")	6



Dextro Screwdrivers - Slotted Flared

ISO 2380-2

Item No.					
T49110-040	4.0mm (5/32")	75mm (3")	0.8mm (0.031")	107mm (4 7/32")	6
T49110-055	5.5mm (7/32")	100mm (4")	1.0mm (0.039")	120mm (4 3/4")	6
T49110-065	6.5mm (1/4")	150mm (6")	1.2mm (0.047")	120mm (4 3/4")	6
T49110-100	10.0mm (25/64")	200mm (8")	1.6mm (0.063")	135mm (4 3/16")	6



Dextro Screwdrivers - Phillips

ISO 8764

Item No.	+	∅	↔	↔	📦
T49112-0	PH0	3.5mm (9/64")	60mm (2 3/8")	95mm (3 3/4")	6
T49112-1	PH0	5.0mm (3/16")	80mm (3 1/8")	107mm (4 1/2")	6
T49112-1250	PH1	5.0mm (3/16")	250mm (10")	107mm (4 1/2")	6
T49112-2	PH2	6.0mm (15/64")	100mm (4")	120mm (4 3/4")	6
T49112-2250	PH2	6.0mm (15/64")	250mm (10")	120mm (4 3/4")	6
T49112-3	PH3	8.0mm (5/16")	150mm (6")	135mm (5 5/16")	6



Dextro Screwdrivers - Robertson

Item No.	□	∅	↔	↔	📦
T49118-1	Size 1	6.0mm (15/64")	125mm (5")	120mm (4 3/4")	6
T49118-2	Size 2	6.0mm (15/64")	125mm (5")	120mm (4 3/4")	6
T49118-3	Size 3	6.0mm (15/64")	125mm (5")	120mm (4 3/4")	6



Dextro Screwdrivers - Torx

Item No.	⊕	∅	↔	↔	📦
T49117-06	T 06	3.0mm (1/8")	70mm (2 3/4")	95mm (3 3/4")	6
T49117-07	T 07	3.0mm (1/8")	70mm (2 3/4")	95mm (3 3/4")	6
T49117-08	T 08	3.0mm (1/8")	70mm (2 3/4")	95mm (3 3/4")	6
T49117-09	T 09	3.0mm (1/8")	70mm (2 3/4")	95mm (3 3/4")	6
T49117-10	T 10	3.0mm (1/8")	80mm (3 1/8")	107mm (4 1/2")	6
T49117-15	T 15	3.5mm (9/64")	80mm (3 1/8")	107mm (4 1/2")	6
T49117-20	T 20	4.0mm (5/32")	90mm (3 1/2")	107mm (4 1/2")	6
T49117-25	T 25	4.5mm (11/64")	90mm (3 1/2")	107mm (4 1/2")	6
T49117-27	T 27	5.5mm (7/32")	110mm (4 1/4")	120mm (4 3/4")	6
T49117-30	T 30	6.0mm (15/64")	110mm (4 1/4")	120mm (4 3/4")	6
T49117-40	T 40	7.0mm (9/32")	120mm (4 3/4")	135mm (5 5/16")	6



Dextro Screwdriver Set/5 - SL/PZ

CONTENTS: 3 x slotted flared, sizes: 4 x 75, 5.5 x 100 & 6.5 x 150mm. 2 x Pozidriv, sizes: PZ1 x 80 & PZ2 x 100mm.

ISO 2380-2, DIN ISO 8764

Item No.	i	⊖	⊕	📦
T49153	Set of 5	4.0, 5.5 & 6.5mm	PZ1 & PZ2	1



Dextro Screwdriver Set/7 - SL/PZ

CONTENTS: 3 x slotted flared, sizes: 4 x 75, 5.5 x 100 & 6.5 x 150mm. 1 x slotted parallel, size: 3.0 x 75mm. 3 x Pozidriv, sizes: PZO x 60, PZ1 x 80 & PZ2 x 100mm.

ISO 2380-2, DIN ISO 8764

Item No.	i	⊖	⊕	📦
T49163D	Set of 7	3.0, 4.0, 5.5 & 6.5mm	PZO, 1 & 2	18



Dextro Screwdriver Set/7 - SL/PH

CONTENTS: 3 x slotted flared, sizes: 4 x 75, 5.5 x 100 & 6.5 x 150mm. 1 x slotted parallel, size: 3 x 75mm. 3 x Phillips, sizes: PH0 x 60, PH1 x 80 & PH2 x 100mm.

ISO 2380-2, DIN ISO 8764

Item No.	i	⊖	⊕	📦
T49162D	Set of 7	3.0, 4.0, 5.5 & 6.5mm	PH0, 1 & 2	18