



CK
PRO
COBALT

Power Tool Accessories


Masonry Drill Bits	106
Metal Drill Bits	108
Fast4 Fluted Bits	110
Wood Drill Bits	111
Multi-Material	113
ProCobalt Holesaws	114
Arbors & Accessories	117
Blue Steel Impact Bits	118
Screwdriver Bits	121
Screwdriver Bit Holders	126
Multitool Blades	127
Jigsaw Blades	128
Reciprocating Blades	129

Masonry Drill Bits



SDS+ Concrete Drill Bits

Tungsten carbide tipped with optimized geometry for drilling concrete and stone. Vacuum brazed tips for durability. Ground flutes designed for optimum debris removal. SDS+ shank.

Item No.	Ø			
T3120 0411	4mm	48mm	110mm	5
T3120 0511	5mm	48mm	110mm	5
T3120 0516	5mm	90mm	160mm	5
T3120 05511	5.5mm	48mm	110mm	5
T3120 05516	5.5mm	90mm	160mm	5
T3120 0611	6mm	48mm	110mm	5
T3120 0616	6mm	90mm	160mm	5
T3120 0621	6mm	140mm	210mm	5
T3120 06516	6.5mm	90mm	160mm	5
T3120 0711	7mm	48mm	110mm	5
T3120 0716	7mm	90mm	160mm	5
T3120 0816	8mm	90mm	160mm	5
T3120 0821	8mm	140mm	210mm	5
T3120 0826	8mm	185mm	260mm	5
T3120 0845	8mm	350mm	450mm	5
T3120 1016	10mm	90mm	160mm	5
T3120 1021	10mm	140mm	210mm	5
T3120 1026	10mm	185mm	260mm	5
T3120 1045	10mm	350mm	450mm	5
T3120 1215	12mm	90mm	160mm	5
T3120 1221	12mm	140mm	200mm	5
T3120 1225	12mm	180mm	260mm	5
T3120 1245	12mm	350mm	450mm	5
T3120 1425	14mm	180mm	260mm	5
T3120 1445	14mm	350mm	450mm	5
T3120 1630	16mm	250mm	310mm	5
T3120 1645	16mm	350mm	450mm	5
T3120 1830	18mm	250mm	310mm	5
T3120 1845	18mm	350mm	450mm	5
T3120 2030	20mm	250mm	310mm	5
T3120 2045	20mm	350mm	450mm	5
T3120 2545	25mm	350mm	450mm	5
T3120 12100	12mm	950mm	1000mm	5
T3120 16100	16mm	950mm	1000mm	5
T3120 20100	20mm	950mm	1000mm	5
T3120 25100	25mm	950mm	1000mm	5



SDS Concrete Drill Bit Set/7

CONTENTS: 5 x 110mm / 6 x 110mm / 8 x 110mm / 6 x 150mm / 8 x 150mm / 10 x 150mm & 12 x 150mm.

Item No.

T3121



5



SDS Flat Chisel Bits

SDS+ chisels. Hardened carbon steel for durability.

Item No.

T3146

T3147



20mm

40mm



250mm

250mm



6

6



SDS Point Chisel Bit

SDS+ chisel. Hardened carbon steel for durability.

Item No.

T3145




Point



250mm



6



SDS Masonry Drill Bit Set/14

Multiple quantities of most commonly used sizes. Drill bits supplied in roll up storage case offering a convenient long term storage solution. Tungsten carbide tipped for speed, performance and endurance. For rotary and percussion drills. CONTENTS: 5 x 110mm (x2); 5.5 x 110mm (x3); 6 x 110mm (x3); 5.5 x 160mm (x2); 6 x 160mm (x2); 7 x 160mm (x1); 8 x 160mm (x1).

Item No.

T3132



Set of 14



3



SDS Masonry & Chisel Set/15

Drill bits supplied in roll up storage case offering a convenient long term storage solution. Tungsten carbide tipped for speed, performance and endurance. For rotary and percussion drills. Contents of set, each 1 piece: 5 x 110mm / 5 x 160mm / 5.5 x 110mm / 5.5 x 160mm / 6 x 110mm / 6 x 160mm / 6 x 210mm / 6.5 x 160mm / 7 x 160mm / 8 x 160mm / 10 x 160mm & 12 x 160mm, Point chisel in 250mm / Flat chisel in 20 x 250mm and Scaling chisel in 40 x 250mm.

Item No.		
T3133	Set of 25	3



Masonry Drill Bit Set/5

Forged steel with tungsten carbide tip. Optimised design for fast and accurate drilling of concrete, stone & brick. CONTENTS: 1 of each size: 4, 5.5, 6.5, 7 & 8mm.

Item No.	
T3111	5



Masonry Drill Bits

Forged steel with tungsten carbide tip. Optimised design for fast and accurate drilling of concrete, stone & brick.

Item No.	Ø		
T3110 0475	4mm	75mm	10
T3110 0585	5mm	85mm	10
T3110 05150	5mm	150mm	10
T3110 05585	5.5mm	85mm	10
T3110 055150	5.5mm	150mm	10
T3110 06100	6mm	100mm	10
T3110 06150	6mm	150mm	10
T3110 065100	6.5mm	100mm	10
T3110 065150	6.5mm	150mm	10
T3110 07100	7mm	100mm	10
T3110 07150	7mm	150mm	10
T3110 08150	8mm	150mm	10
T3110 10150	10mm	150mm	10
T3110 12150	12mm	150mm	10
T3110 13150	13mm	150mm	10
T3110 14150	14mm	150mm	10
T3110 16150	16mm	150mm	10




Masonry Hex Drill Bit Set/5

Forged steel with tungsten carbide tip. Optimised design for fast and accurate drilling of concrete, stone & brick. With 4mm hexagonal shaft. CONTENTS: 1 of each size: 4, 5.5, 6.5, 7 & 8mm.

Item No.		
T3112	4mm	5

Metal Drill Bits



Masonry Colour Drill Bit Sets

For rotary and percussion drills. Tungsten carbide tipped - for speed, performance and endurance. Colour coded sizes - for quick and convenient identification of the correct size drill for wall fixings. CONTENTS: 3 x 5mm, 3 x 6mm, 3 x 7mm.

Item No.		
T3113		12
T3113CLIP		1



Masonry Drill Bit Set/25

Multiple quantities of most commonly used sizes. Drill bits supplied in roll up storage case offering a convenient long term storage solution. Tungsten carbide tipped for speed, performance and endurance. For rotary and percussion drills. CONTENTS: 4 x 75mm (x3); 5.5 x 85mm (x5); 5.5 x 150mm (x5); 6 x 100mm (x5); 6 x 150mm (x3); 7 x 100mm (x2); 7 x 150mm (x2).

Item No.		
T3131	Set of 25	3



HSS Split Point Drill Bits

High speed steel. 135° split point design for non-wander starting. Flute ground for accurate results.

DIN338

Item No.					
T3100 01	1mm	12mm	34mm	Loose	10
T3100 015	1.5mm	18mm	40mm	Loose	10
T3100 02	2mm	24mm	49mm	Loose	10
T3100 025	2.5mm	30mm	57mm	Loose	10
T3100 03	3mm	33mm	61mm	Loose	10
T3100 035	3.5mm	39mm	70mm	Loose	10
T3100 04	4mm	43mm	75mm	Loose	10
T3100 045	4.5mm	47mm	80mm	Loose	10
T3100 05	5mm	52mm	86mm	Loose	10
T3100 055	5.5mm	57mm	93mm	Loose	10
T3100 06	6mm	57mm	93mm	Loose	10
T3100 065	6.5mm	63mm	101mm	Loose	10
T3100 07	7mm	69mm	109mm	Loose	10
T3100 08	8mm	75mm	117mm	Loose	10
T3100 09	9mm	81mm	125mm	Loose	10
T3100 10	10mm	87mm	133mm	Loose	10
T3100 11	11mm	94mm	142mm	Loose	10
T3100 12	12mm	101mm	151mm	Loose	10
T3100 13	13mm	101mm	151mm	Loose	10
T3100 045D	4.5mm	47mm	80mm	Single Pack	6
T3100 05D	5mm	52mm	86mm	Single Pack	6
T3100 055D	5.5mm	57mm	93mm	Single Pack	6
T3100 06D	6mm	57mm	93mm	Single Pack	6
T3100 065D	6.5mm	63mm	101mm	Single Pack	6
T3100 07D	7mm	69mm	109mm	Single Pack	6
T3100 08D	8mm	75mm	117mm	Single Pack	6
T3100 09D	9mm	81mm	125mm	Single Pack	6
T3100 10D	10mm	87mm	133mm	Single Pack	6
T3100 11D	11mm	94mm	142mm	Single Pack	6
T3100 12D	12mm	101mm	151mm	Single Pack	6
T3100 13D	13mm	101mm	151mm	Single Pack	6
T3100 01TD	1mm	12mm	34mm	Twin Pack	6
T3100 015TD	1.5mm	18mm	40mm	Twin Pack	6
T3100 02TD	2mm	24mm	49mm	Twin Pack	6
T3100 025TD	2.5mm	30mm	57mm	Twin Pack	6
T3100 03TD	3mm	33mm	61mm	Twin Pack	6
T3100 035TD	3.5mm	39mm	70mm	Twin Pack	6
T3100 04TD	4mm	43mm	75mm	Twin Pack	6



Cobalt Split Point Drill Bit Set

Suitable for a range of materials including: steel, aluminium, wood, plastic, laminated sheet and particle board. CONTENTS: 2, 3, 4, 5, 6, 8mm shank. Material: M35, cobalt steel. DIN 338

Item No.	
T3104	1



HSS Split Point Drill Bit Set/6

High speed steel. 135° split point design for non-wander starting. Flute ground for accurate results. CONTENTS: 2, 3, 4, 5, 6 & 8mm. DIN 338

Item No.	
T3101	3



HSS Split Point Drill Bit Set/13

High speed steel. 135° split point design for non-wander starting. Flute ground for accurate results. CONTENTS: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6 & 6.5mm. DIN 338

Item No.	
T3102	3



HSS Split Point Drill Bit Set/19

High speed steel. 135° split point design for non-wander starting. Flute ground for accurate results. CONTENTS: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5 & 10mm. DIN 338

Item No.	
T3103	1



HSS Multi-Step Drills

Centres, drills and deburrs sheet metals in one operation. HSS, precision ground for accurate drilling. Dual flute construction for faster drilling & longer life. Three flats on drive shaft for secure drive in drill chucks.

Item No.		
T3010 1	4, 6, 8, 10, 12, 14, 16, 18 & 20mm	1
T3008	6, 9, 12.3, 15.2, 18.6, 20.4, 22.5, 25.4, 28.3 & 30.5mm	1
T3011	6 8 10 12 14 16 18 20 22 24 26 28 30 32mm	1
T3012	12.5, 12.7, 15.2, 16.2, 18.6, 20.4, 22.5, 25.4, 28.3, 30.5 & 32.5mm	1



High Speed Steel Cone Drills

Centres, drills and deburrs sheet metals in one operation. HSS, precision ground for accurate drilling. Dual flute construction for faster drilling & longer life. Three flats on drive shaft for secure drive in drill chucks.

Item No.		
T3014	6 - 26mmØ	1
T3015	16 - 32mmØ	1



TiN Coated Multi-Step Drill

Centres, drills and deburrs sheet metals in one operation. Titanium coated for longer life. HSS, precision ground for accurate drilling. Dual flute construction for faster drilling & longer life. Three flats on drive shaft for secure drive in drill chucks.

Item No.		
T3013	6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 36, 28, 30 & 32mmØ	1

Fluted bits

1. 4 bladed design:
Offering 100% more cutting surface than a traditional flat bit for faster drilling.
2. Pilot screw point:
Allows accurate positioning and pull through.
3. Optimised flute geometry:
Waste is removed faster for a cleaner cut and finish.



Fast4 Fluted Bits



Fast4 Wood Drill Bits

Precision ground cutting edges with outer spur blades for a smoother cut & cleaner breakout. Clean hole results.

Item No.	Ø	Length	Flute Length	Icon
T2943-16	16mm	110mm	160mm	10
T2943-20	20mm	110mm	160mm	10
T2943-22	22mm	110mm	160mm	10
T2943-25	25mm	110mm	160mm	10
T2943-32	32mm	110mm	160mm	10
T2943S4				1



Fast4 SDS+ Wood Drill Bits

Precision ground cutting edges with outer spur blades for a smoother cut & cleaner breakout. Clean hole results. SDS drive.

Item No.	Ø	Length	Flute Length	Icon
T2944-16	16mm	110mm	160mm	10
T2944-20	20mm	110mm	160mm	10
T2944-22	22mm	110mm	160mm	10
T2944-25	25mm	110mm	160mm	10
T2944-32	32mm	110mm	160mm	10



Fast4Access Wood Drill Bits

50% shorter for better access. Precision ground cutting edges with outer spur blades for a smoother cut & cleaner breakout. Clean hole results.

Item No.	Ø	Length	Flute Length	Icon
T2945-16	16mm	50mm	80mm	100
T2945-20	20mm	50mm	80mm	50
T2945-22	22mm	50mm	80mm	50
T2945-25	25mm	50mm	80mm	50



Fast4Nails Wood Drill Bits

Designed for use with Nail Embedded Timber; Chipboard, Blockboard, Particle board, Laminated sheet. HSS Bi-Metal construction for increased durability. Extended working life on nail embedded wood. 4 blades for faster drilling. 6.35 Hex Shank for convenience and ease of use.

Item No.	Ø	Length	Flute Length	Icon
T2946-16	16mm	60mm	120mm	90
T2946-20	20mm	60mm	120mm	70
T2946-22	22mm	60mm	120mm	70
T2946-25	25mm	60mm	120mm	70
T2946-32	32mm	60mm	120mm	50

Wood Drill Bits



Flat Wood Bits

HSS, hardened for long life performance. Brad pointed for accurate drill starts. Ground wing spur for clean hole cutting. Quick lock direct E6.3 drive.

Item No.	Ø			
T2942-06	6mm	130mm	160mm	5
T2942-08	8mm	130mm	160mm	5
T2942-10	10mm	130mm	160mm	5
T2942-12	12mm	130mm	160mm	5
T2942-13	13mm	130mm	160mm	5
T2942-14	14mm	130mm	160mm	5
T2942-16	16mm	130mm	160mm	5
T2942-20	20mm	130mm	160mm	5
T2942-22	22mm	130mm	160mm	5
T2942-25	25mm	130mm	160mm	5
T2942-28	28mm	130mm	160mm	5
T2942-32	32mm	130mm	160mm	5
T2942-38	38mm	130mm	160mm	5
T2942-12400	12mm	370mm	400mm	15
T2942-16400	16mm	370mm	400mm	15
T2942-20400	20mm	370mm	400mm	15
T2942-25400	25mm	370mm	400mm	5
T2942-32400	32mm	370mm	400mm	5



Heavy Duty Flat Wood Bits

For use on Nail Embedded Timber; Chipboard, Blockboard, Particle board, Laminated sheet. Heavy duty carbon steel construction for exceptional performance. Bevelled pilot-point reduces bit walk for faster drilling and clean holes. Impact ready hex shank with oversized shaft for greater strength and durability.

Item No.	Ø			
T2952-10	10mm	120mm	152mm	6
T2952-12	12mm	120mm	152mm	6
T2952-14	14mm	120mm	152mm	6
T2952-16	16mm	120mm	152mm	6
T2952-20	20mm	120mm	152mm	6
T2952-22	22mm	120mm	152mm	6
T2952-25	25mm	120mm	152mm	6
T2952-28	28mm	120mm	152mm	6
T2952-32	32mm	120mm	152mm	6
T2952-38	38mm	120mm	152mm	6



Flat Wood Bits Set

Professional quality HSS construction. Brad pointed for accurate drill starts. Ground wing spur for clean hole cutting. Quick lock direct E6.3 drive. CONTENTS: 6 x flat bits, sizes: 10, 13, 16, 20, 22 & 25mm.

Item No.	
T2942P	5



Flat Wood Bit Extension Drive

Extension drive shaft for flat bits with E6.3 drive.

Item No.		
T2940-2	300mm	30



Quick Release Extension Bar - 3 Pack

Quick release for a fast and convenient bit change. Gives greater access to awkward screws and drilling locations. Impact rated 6.35 hex shank for all common power tools. CrV (chrome vanadium) shaft for increased strength and durability. 3 different sizes for all applications.

Item No.		
T2940-3	60mm, 150mm & 300mm	30



Flat Bits - Long Stocked Display



CONTENTS: 3 x flat bits, sizes: 12 x 400mm, 16 x 400mm, 20 x 400mm, 4 x flat bits, sizes: 25 x 400mm, 2 x flat bits, size: 32 x 400mm.

Item No.	
T2942LS	1



Auger Wood Bits - Short


HSS, hardened for long life performance. Spur lip for clean hole results. Screw tip for precise hole starts. Combination shank suitable for hand and power drills.

Item No.	∅			
T3033 13	13mm	50mm	100mm	6
T3033 22	22mm	80mm	130mm	6



Auger Wood Bits - Standard




HSS, hardened for long life performance. Spur ground external edge for clean hole cutting. Screw tip for precise hole starts. Combination shank suitable for hand & power drills.

Item No.	∅			
T3031 06	6mm	90mm	160mm	6
T3031 08	8mm	100mm	170mm	6
T3031 10	10mm	120mm	190mm	6
T3031 13	13mm	120mm	190mm	6
T3031 16	16mm	130mm	200mm	6
T3031 20	20mm	140mm	210mm	6
T3031 22	22mm	140mm	210mm	6
T3031 25	25mm	140mm	210mm	6
T3031 30	30mm	140mm	210mm	6
T3031 32	32mm	140mm	210mm	6



Auger Wood Bits - Long




HSS, hardened for long life performance. Spur ground external edge for clean hole cutting. Screw tip for precise hole starts. Combination shank suitable for hand & power drills.

Item No.	∅			
T3034 10	10mm	220mm	300mm	6
T3034 13	13mm	220mm	300mm	6
T3034 16	16mm	220mm	300mm	6
T3034 20	20mm	220mm	300mm	6
T3034 22	22mm	220mm	300mm	6
T3034 25	25mm	220mm	300mm	6



Wood Drill Bits

Chrome vanadium steel for long life performance. Brad pointed for accurate drill starts. Spur ground external edge for clean hole cutting.

Item No.	∅			
T3035 03	3mm	33mm	61mm	10
T3035 04	4mm	43mm	75mm	10
T3035 05	5mm	52mm	86mm	5
T3035 06	6mm	60mm	97mm	5
T3035 08	8mm	75mm	117mm	5
T3035 10	10mm	87mm	133mm	5
T3035 12	12mm	96mm	151mm	5
T3035 13	13mm	96mm	151mm	5
T3035 14	14mm	97mm	151mm	5
T3035 16	16mm	100mm	160mm	3



Wood Drill Bit Set/5

Chrome vanadium steel for long life performance. Brad pointed for accurate drill starts. Spur ground external edge for clean hole cutting. CONTENTS: 4, 5, 6, 8 & 10mm.

Item No.	
T3040	3



Countersink Bit

HSS, hardened for long life performance. 1/2", 13 x 90°.

Item No.		
T2601S 5090	13 x 90°	6

Multi-Material



Glass/Tile Drill Bit Set

Tungsten carbide tipped drill set for easy drilling of glass and ceramics. Titanium nitride coated for wear protection. CONTENTS: 4, 5, 6, 7, 10mm 1/4" quick change hex shank.

Item No.



T3059

1



Universal Drill Bit Set

Tungsten carbide tipped drills specially designed for drilling through concrete, brick, cement, stone, metal & ceramics. CONTENTS: 4, 5, 6, 8 & 10mm.

Item No.



T3063

3



Combination Drill Bit Set

Masonry, Metal & Wood Drill Bit Set, 16 pieces. Contents each 1 piece: For Brick: 4, 5.5, 6.5, 7, 8mm, For Metal: 2, 3, 4, 5, 6, 8mm, For Wood: 4, 5, 6, 8, 10mm.

Item No.



T3064B

10



TiN Drill Saw - Twin Pack

Titanium nitride coated HSS for strength and durability. Drills and cuts to create any size shape or hole. Self-starting tip. Cuts through wood/plastic up to 5mm, aluminium up to 4mm and metal up to 3mm thick. Pack includes 2 drill saws.

Item No.



T3193T

6mm

3



TiN Drill Bit Set/6

135° Forged HSS steel. Precision ground for accurate drilling. Titanium nitride coated for extra wear protection. CONTENTS: 2, 3, 4, 5, 6, 8mm.

Item No.



T3293

3



TiN Drill Bit Set/19

135° Forged HSS steel. Precision ground for accurate drilling. Titanium nitride coated for extra wear protection. CONTENTS: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm.

Item No.



T3291

3

Holesaws

The ultimate in performance, reliability and output. One saw does it all. Cuts metal, wood, plasterboard and composites.

1. Vari-pitch tooth design optimised for a faster cut.
2. Location pins to avoid over tightening for easier removal.
3. Improved heat dissipation and slug removal access.



Holesaws



ProCobalt Holesaws

Premium grade 8% cobalt alloy steel construction for an extended working life. Excellent wear resistance even at high temperatures. For fast and clean cutting of metal, wood, aluminium, steel, cast iron, brass and plastics. Variable pitch teeth for rapid cutting action, efficient swarf removal and reduced vibration.

Item No.	Ø	📦
424001	16mm (5/32")	10
424002	19mm (3/4")	10
424003	20mm (25/32")	10
424005	22mm (7/8")	10
424006	25mm (1")	10
424007	29mm (1 1/8")	10
424008	32mm (1 1/4")	10
424010	38mm (1 1/2")	10
424011	40mm (1 5/16")	10
424012	41mm (1 5/8")	10
424013	43mm (1 11/16")	10
424014	44mm (1 3/4")	10
424015	48mm (1 7/8")	10
424016	51mm (2")	10
424017	54mm (2 1/8")	10
424018	57mm (2 1/4")	10
424019	60mm (2 3/8")	10
424020	64mm (2 1/2")	10
424021	65mm (2 9/16")	10
424022	67mm (2 5/8")	10
424023	68mm (2 11/16")	10
424024	70mm (2 3/4")	10
424025	73mm (2 7/8")	10
424026	76mm (3")	10
424027	79mm (3 1/8")	10
424028	83mm (3 1/4")	10
424029	86mm (3 3/8")	10
424030	89mm (3 1/2")	10
424031	92mm (3 5/8")	10
424032	95mm (3 3/4")	10
424033	102mm (4")	10
424034	105mm (4 1/8")	10
424035	111mm (4 3/8")	10
424036	114mm (4 1/2")	10
424050	127mm (5")	10
424060	152mm (6")	10



Holesaw Kit - 6 Piece

CONTENTS: 1 x holesaw, sizes: 40, 54, 65, 67 & 68mm. Quick release arbor 32 - 152mm (11mm shaft).

Item No.	
424044	10



Electricians Hole Saw Kit - 9 Piece

CONTENTS: 1 x holesaw, sizes: 16, 20, 25, 32, 38 & 51mm. Arbor 14 - 30mm (8mm shaft). Quick release arbor 32 - 114mm (11mm shaft). Hexagon key 4mm.

Item No.	
424045	10



Holesaw Kit - 9 Piece

CONTENTS: 1 x holesaw, sizes: 22, 29, 35, 44, 51 & 64mm. Arbor 14 - 30mm (8mm shaft). Locking arbor 32 - 152mm (11mm shaft). Hexagon key 4mm.

Item No.	
424043	10



Holesaw Display - Stocked Stand

CONTENTS: 1 x holesaw, sizes: 16, 19, 20, 22, 25, 29, 32, 38, 40, 44, 48, 51, 54, 57, 60, 64, 65, 67, 70, 73, 76, 79, 83, 89, 92, 95, 102, 105, 111 & 114mm. 1 x arbor 14-30mm (8mm shaft). 1 x arbor 14-30mm (11mm shaft). 1 x quick release arbor 32-114mm (11mm shaft). 1 x locking arbor 32-114mm (11mm shaft). 1 x SDS arbor 14-30mm. 1 x SDS quick release arbor 32-114mm. 1 x replacement pilot drill (for 424037, 424047 & 424048). 1 x replacement pilot drill (for 424038, 424039 & 424040). 1 x extension drive.

Item No.	i	
400002	Stock & stand	1



Downlight Hole Saw Kit - 6 Piece

CONTENTS: 1 x holesaw, sizes: 65, 70, 76 & 83mm. Quick release arbor 32 - 114mm (11mm shaft). Hexagon key 4mm.

Item No.	
424046	10



Sheet Steel Holesaws

Tooth configuration optimised for the fast cutting of sheet steel. Cuts sheet steel faster than standard holesaws. 8 teeth per inch for a smoother cutting action. Cleaner holes with no burring. Premium grade 8% cobalt alloy steel construction for an extended working life. Slimline design reduces frictional heat build up and prevents tooth burn out compatible with impact drills. E6.3 drive system. Flared shoulders prevent overdrilling, avoids damaging inner components of electrical cabinets and junction boxes.

Item No.	Ø	📦
T3202 016	16mm	10
T3202 020	20mm	10
T3202 022	22mm	10
T3202 025	25mm	10
T3202 032	32mm	10
T3202 038	38mm	10
T3202 040	40mm	10



Sheet Steel Holesaw Set/3

Tooth configuration optimised for the fast cutting of sheet steel. Cuts sheet steel faster than standard holesaws. 8 teeth per inch for a smoother cutting action. Cleaner holes with no burring. Premium grade 8% cobalt alloy steel construction for an extended working life. Slimline design reduces frictional heat build up and prevents tooth burn out. Compatible with impact drills. E6.3 drive system. Flared shoulders prevent overdrilling, avoids damaging inner components of electrical cabinets and junction boxes. CONTENTS: 20, 25 & 32mm.

Item No.	i	📦
T3213	Set of 3	3



TCT HoleSaw Pilot Bit & Spring (3pc)

HSS pilot bit for C.K TCT hole saws. 6.0mm diameter.

Item No.	↔	📦
T3218	6.0mm	6
T3212		20



Sheet Steel Holesaw Display

CONTENTS: 2 x 16mm, 2 x 20mm, 2x 22mm, 2 x 25mm, 2 x 32mm & 2 x 28mm.

Item No.	i	📦
T3202R	Stock and backing card	1



Adjustable Hole Cutter

Tri-Cut design for accurate, clean holes 19 - 127mm. Synchronised blade adjustment for faster sizing. Integrated measuring guide for a variety of hole cutting applications. Suitable for downlights, ventilation and electrical outlet installation HSS split point pilot bit for reduced bit walk. Carbon Steel teeth provide exceptional cutting performance in plasterboard, softwood and OSB. Shroud to capture dust and debris, keeping you and your work site cleaner. 6.35mm hex shank for secure fitment. No additional arbor or attachments required. 2 sets of teeth comprising of three blades, Set 1 for hole sizes 19 - 100mm and Set 2 for hole sizes 45 - 127mm.

Item Number	Ø	📦
T3230	19 - 127mm	24
T3231	Set of 6	1



TCT Hole Saws

Tungsten Carbide Tip (TCT) for exceptional cutting performance across mild and stainless steel, cast iron and copper up to a 12mm thickness. 3-point variable cutting edge for maximum contact whilst minimising heat build-up. High tension spring for rapid slug ejection.

Item No.	↔	Ø	📦
T3203 016	16mm	12mm	6
T3203 020	20mm	12mm	6
T3203 022	22mm	12mm	6
T3203 025	25mm	12mm	6
T3203 032	32mm	12mm	6
T3203 038	38mm	12mm	6
T3203 040	40mm	12mm	6

Arbors & Accessories



Hole Enlarging Adaptor

Allows nesting of one holesaw inside another for concentric enlarging of existing holes. Double threaded to accept any size of holesaw.

Item No.		
T3216		6



Quick Change Arbor

Rapid Release System: Enables fast and tool free holesaw changeover. Universal Fitting: Compatible with most brands of holesaws. Suitable for holesaws from: 16 - 152mm.

Item No.	i	
T3224	Set	10
T3225	3 x <30mm adaptor	25
T3225 2	3 x >32mm adaptor	25



Locking Holesaw Arbor

For use with holesaws from 32mm - 152mm. Supplied with replaceable 1/4" HSS pilot drill.

Item No.		
424040	11mm (7/16")	10



Quick Release SDS+ Arbor

Quick-release mechanism for fast holesaw interchange. For use with holesaws from 32 - 152mm. Fixing pins are spring loaded for easy withdrawal making holesaw changes fast and efficient. SDS-Plus drive shaft. With replaceable 1/4" HSS pilot drill.

Item No.		i	
424048	11mm (7/16")	SDS-Plus	10



Quick Release Arbor

Quick-release mechanism for fast holesaw interchange. For use with holesaws from 32 - 152mm. Fixing pins are spring loaded for easy withdrawal making holesaw changes fast and efficient. 11mm hexagonal drive shaft. With replaceable 1/4" HSS pilot drill.

Item No.		
424039	11mm (7/16")	10



SDS+ Holesaw Arbor

For use with holesaws up to 30mm. Supplied with replaceable 1/4" HSS pilot drill. SDS Plus drive shaft.

Item No.		i	
424047	8mm (5/16")	SDS-Plus	10



Holesaw Arbor

For use with holesaws up to 30mm. Supplied with replaceable 1/4" HSS pilot drill.

Item No.		
424037	8mm (5/16")	10
424038	11mm (7/16")	10



Replacement Arbor Pilot Bit

Replacement HSS pilot drill bit for holesaw arbors.

Item No.	i	
424041	424037, 424047 & 424048	10
424042	424038, 424039, 424040, T3214 & T3224	10



Holesaw Extension Bar

For use with all 11mm hexagonal shaft arbors.

Item No.			
424049	11mm (7/16")	300mm	10




Keyless Chuck Adaptor

1/4" hexagon to 3 jaw chuck converter. E6.3 drive. Keyless chuck. Fits up to 6mm drill bits.

Item No.		
T2463	6mm	6

Multitool Blades



Multitool Blade - Box Cutter

Optimized curved teeth design for efficient cutting action. Integrated double-socket guide for quick alignment and cut. HCS construction for strength and durability. Universal quick change fitment covers most brands of oscillating tool (not compatible with Starlock). Multi-material: for use on plasterboard, wood and plastic.

Item No.		
T0880	75 x 75 x 32mm	1



Quick Change Chuck System

Bits made from special S2 alloy steel. Precision machined tips for an exact screw fit & damage free screwdriving. CONTENTS: Screwdriver bit holder, Quick change chuck, Slotted, sizes: 4, 5, 6, & 7mm; Pozidriv, sizes: 1, 2 & 3; Phillips, sizes: 1, 2 & 3; TX, sizes: 10, 15, 20, 25, 30 & 40; Hexagon, sizes: 3, 4, 5, & 6mm. 2 x drill/driver bits, sizes: 2.5mm x Pozidriv1 & 3.0mm x Pozidriv1 x drill/driver bit, size: 4.0mm x Pozidriv.

Item No.	
T4519	6



Multitool Blade - Carbide

Carbide Construction for extreme cutting performance. Cuts ferrous metals, hardened screws, bolts, nails, and abrasive materials. Universal quick change fitment covers most brands of oscillating tool (not compatible with Starlock).

Item No.		
T0877	34 x 40mm	10



Magnetic Nut Drivers Set/7

For fast and effective driving of hex head screw fixings. Forged alloy steel for strength and durability. Colour coded for convenience. CONTENTS: 7 / 8 / 10 / 11 / 13mm - 1/4" & 3/8". DIN 3126 E6.3 and ISO 1173

Item No.		
T4514	Set of 7	14



Multitool Blade - Scraper

Stainless steel construction for durability and easy cleaning. Removes grout glue, paint, tile and wall adhesives with ease. Universal quick change fitment covers most brands of oscillating tool (not compatible with Starlock).

Item No.		
T0878	52 x 38mm	10



Multitool Blade - 2 Piece Set

Strong and durable multitools to be used with a range of materials including; thin steel, wood, wood with nails, plastics and non ferrous metals.

Item No.		
T0875	34 x 40mm	1
T0876	28.5 x 57mm	1



Multitool Blade - 5 Piece Set

Strong and durable multitools to be used with a range of materials including; thin steel, wood, wood with nails, plastics and non ferrous metals. CONTENTS: 2 x 34mm x 40 wood HCS, 1 x 34mm x 40 BIM, 1 x 80mm diameter BIM, 1 x 65mm x 42 wood BIM M2 (Japanese teeth).



Item No.	
T0870	1

Jigsaw Blades



Straight Cut Blade - Metal

Thin metal, straight cuts.

Item No.				BOSCH	
T0865A	50mm	2.5mm	1.5 - 3mm	T118A	5



Coarse Cut Blade - Wood




Wood, fast coarse cuts.

Item No.				BOSCH	
T0865B	75mm	2.5mm	5 - 60mm	T111C	5



Fine Cut Blade - Wood

Wood, precise cuts.

Item No.				BOSCH	
T0865C	75mm	2.5mm	4 - 30mm	T101B	5



Straight Cut Blade - Thick Metal

Thicker metal, straight cuts.

Item No.				BOSCH	
T0865H	50mm	1.2mm	3 - 60mm	T118B	5



Fast Cut Blade - Wood

Wood, fast clean cuts.

Item No.				BOSCH	
T0865L	75mm	4mm	6 - 60mm	T101D	5



Fast Fine Cut Blade - Wood

Wood, fast extra clean cuts.

Item No.				
T0865P	95mm	4mm	8 - 75mm	5



Fine Cut Blade - Metal

Metal & sandwich materials.

Item No.				BOSCH	
T0865Y	110mm	1.2mm	1.5 - 3mm	T318A	5



Down Cut Blade - Laminate

Wood laminates, down cut.

Item No.				BOSCH	
T0865R	75mm	2.5mm	4 - 30mm	T101BR	5



Curved Cut Blade - Wood

Wood, extra clean curved cuts.

Item No.				BOSCH	
T0865T	75mm	2.5mm	4 - 30mm	T244D	5



Straight Cut Blade - Universal

Universal. For straight cuts in soft & hardwood, wood with nails, steel, aluminium, laminate, plastics and particle board.

Item No.				
T0865W	110mm	1.8-2.5mm	3 - 100mm	5



Double Cut Blade - Wood

Wood, fast double cut.

Item No.				
T0865X	75mm	2.0mm	3 - 60mm	5

Reciprocating Blades



Reciprocating Saw Blades

Multi-purpose reciprocating saw blades cut metal, wood, plastic and plasterboard. Universal fitting - Compatible with T0820 and all reciprocating saws.

Item No.					
T0821	150mm	6	HCS	Set of 5	10
T0822	150mm	18	BIM	Set of 5	10
T0823	150mm	24	BIM	Set of 5	10